
ATMOSPHERE ::!! SKY[™]

Owner's Manual / 用戶指南



Atmosphere Sky™ Air Treatment System Atmosphere Sky™空氣清新機 Congratulations! By purchasing the Atmosphere Sky[™] Air Treatment System, you have made an important investment for your family: to improve the air quality in your home.

The Atmosphere Sky[™] Air Treatment System comes pre-installed with three filters: the pre-filter, HEPA and carbon filter. Inside the box, you'll also find the power cord for the unit.

Table of Contents:

01	02	02	03
Important Safeguards	Product Visuals	Get Started	3rd Party Certifications
03	04	04	06
Troubleshooting	Service and Replacement Parts	Product Features	Maintenance
07	08		
Customer Service	Limited Warranty		

Important Safeguards

Read all instructions before using the Atmosphere Sky™ Air Treatment System.

⚠ WARNING: When using an electrical appliance, always follow basic safety precautions, to reduce the risk of fire, electrical shock, and/or injury:

- 1. Always disconnect from power source before cleaning or performing maintenance, including filter replacement.
- 2. Before operating the unit, remove the front cover of the unit. Take out the filters, remove their protective bags, and reinstall the filters.
- 3. Do not open the housing. Internal parts are not to be serviced by the user. Repairs should be done by authorized service personnel only.
- 4. Do not allow liquids or any objects in any of the unit openings. Keep openings free of excessive dust, lint, hair or debris that may reduce the air flow.
- 5. Do not expose the unit to rain, and do not use in a wet area. Do not place the unit near a bathtub or a kitchen sink.
- 6. Do not unplug the unit by pulling on the cord. To unplug the unit, grasp the plug itself and pull gently.
- 7. Do not operate with a damaged cord or plug. If the cord or plug is damaged, it must be replaced by a new cord and plug available from the manufacturer or its service agent. Return


- to an authorized service facility for examination and/or repair.
- Do not run the cord under carpeting. Do not cover with throw rugs, runners, or similar coverings.
 Do not route cord under furniture or appliances.
 Arrange cord away from traffic area and where it will not be tripped over
- Do not cut, damage, or modify the cord. Do not place the cord underneath or between heavy objects, and always keep the cord away from heated surfaces.
- 10. If the unit is not working properly or has been dropped or damaged, contact Customer Support.
- 11. Do not use solvents or chemicals to clean the unit. Do not spray aerosols on the unit.
- 12. The unit is not to be operated by anyone (including children) who has reduced physical, sensory or mental capabilities, or lack of experience and knowledge, without supervision or instruction. Children should be supervised to insure they do not play with the appliance.

READ AND SAVE THESE INSTRUCTIONS

NOTES

- The Atmosphere Sky[™] Air Treatment System is not intended for use where oil particles are in the air, such as factories, or where continuous tobacco smoke is present, such as bars and restaurants. Usage in these environments could result in poor performance and shortened filter life.
- 2. The unit is shipped with the pre-filter, HEPA and carbon filters in protective wrapping to prolong the filters' effectiveness. Before operating the unit, remove the front cover, remove the filters from the packaging, and reinstall them.
- 3. CARBON DUST MAY BE GENERATED DURING SHIPPING AND HANDLING. WHEN DISPOSING OF THE FILTER PACKAGING, DO NOT ALLOW DUST FROM THE PACKAGING TO COME INTO CONTACT WITH CLOTHING, FURNITURE, OR CARPET.
- 4. To avoid blocking the unit's air flow, do not place items on top of the unit, or near the front cover of the unit.
- 5. Do not place the unit in front of heating vents.

Clean Air Starts Here



Get Started

- 1. Remove the unit from the box. Remove the front shield from the unit.
- 2. Take the pre-filter, HEPA and carbon filter packages out of the unit.
- 3. Remove the protective wrap on filters. Avoid completing this step on carpet or a light colored surface, as carbon dust may fall from the filters.
- 4. Download the Amway™
 Healthy Home app
 from the App Store®
 or Google Play™ store
 to register your unit or
 follow the instructions
 on the registration label
 on the inside of the
 housing unit.

- 5. Reinstall the filters ensuring the lock on the HEPA filter is secure and reattach the front shield.
- 6. Place the unit in the room where it will be used, near an electrical outlet and away from heating vents and high traffic areas. Make sure the space above the unit is kept clear, for proper air flow.
- Plug cord into the rear of the unit then into a nearby outlet.
- 8. Power on.

Your Atmosphere Sky™ Air Treatment System

- A. Front Shield
- B. Pre-Filter and HEPA Filter
- C. Carbon Filter
- D. Registration Label/Serial Number
- E. Display Module
- F. Power Cord
- G. Rear Housing
- H. Motor/Fan Assembly









3rd Party Certifications



Allergy UK -**Seal of Approval**

Indicates that the Atmosphere Sky[™] Air Treatment System has been scientifically tested by a third-party laboratory to reduce or remove allergens, and is therefore suitable for use by people with allergies.



ECARF

Indicates that the Atmosphere Sky[™] Air Treatment System has been scientifically tested by a third-party laboratory to reduce or remove allergens, and is therefore suitable for use by people with allergies.



AHAM

The Atmosphere Sky™ Air Treatment System has been tested according to the AHAM Certification Program (ANSI/AHAM AC-1).

CADR (Clean Air Delivery Rate) certified by the U.S. Association of Home Appliance Manufacturers and protecting the environment. (AHAM) for the reduction of airborne tobacco smoke, dust, and pollen at air flow volumes of 300 cubic feet per minute. CADR is the main metric used to rate the performance of an air treatment system.




ENERGY STAR®

Is a registered mark owned by the U.S. Environmental Protection Agency. ENERGY STAR® is the simple choice for energy efficiency. For more than 20 years, people across America have looked to EPA's ENERGY STAR® program for guidance on saving energy, saving money, Behind each blue label is a product, building, or home that is independently certified to use less energy and cause fewer of the emissions that contribute to climate change. Join the millions who are already making a difference at energystar.gov.

Troubleshooting

Condition	Solution
The operation light is on, but air does not come out of the unit.	Check that the protective shipping bags are removed from the filters inside the unit. Dirt and/or pet hairs can build up on the pre-filter.
	To clean and reinstall the pre-filter: Turn off the power and unplug the unit. Remove the front shield from the unit. Remove the pre-filter from the unit. Thoroughly vacuum the entire filter to remove surface and embedded debris. Reinstall the pre-filter into the unit. Snap the front shield back into place.
The air volume from the unit is high, but it doesn't appear to be removing dust or odors from the room.	Make sure both the carbon and HEPA filters are installed in the unit. If the air quality is especially challenging, because of cooking or pet odors, set the unit to Turbo for maximum results.
My unit will not connect to my Wi-Fi® Network.	Please refer to the FAQ section within the Amway™ Healthy Home app or contact Customer Service.
My unit will not pair with Bluetooth® wireless technology.	Please refer to the FAQ section within the Amway™ Healthy Home app or contact Customer Service.


Replacement Filters / Parts




Replacement Front Shield



Replacement Pre-Filter



Replacement HEPA Filter



Replacement Carbon Filter



Replacement Electronic Module



Replacement Detachable Power Cord—If available in your market



Replacement Mobility Wheels



Replacement Rubber Feet

Atmosphere Sky[™] Air Treatment System Features

Air Filtration Process:

Air enters through the front cover of the unit. The pre-filter removes large, lint-like particles, and the HEPA filter effectively removes 99.99% of particles as small as 0.0024 microns. The carbon filter reduces objectionable odors. Filtered air is discharged upward through the grill on the back of the unit.

The unit uses a unique internal air circulation system. The dual-part Intelligent Flow Assembly directs the air flow inside the unit, moving air in a pattern that minimizes resistance and noise and maximizes air flow.

Performance Features:

- Effectively removes 99.99% of particles as small as 0.0024 microns in size from air passing through the unit.
- » Effectively reduces unpleasant odors, such as tobacco, cooking and pet odors.
- » CADR measures no less than 300 at speed 5, to clean rooms up to 465 sq. ft. in size (43m²). CADR (Clean Air Delivery Rate) is the main metric used to rate the performance of an air treatment system.
- » Effectively reduces airborne bacteria, mold, viruses, fungi, asbestos, dust mites and their by-products, and radon decay products from air passing through the unit.
- » Allergen removal claims substantiated by thirdparty.
- Energy efficient with low power consumption. The unit has earned the U.S. EPA's ENERGY STAR® certification for energy efficiency.

CONNECTING TO WI-FI® AND BLUETOOTH® WIRELESS TECHNOLOGY














The Amway™ Healthy Home app works like a remote control for the unit. Download the free app to your smart phone or mobile device and use it when you're at home or away to:

- » Adjust the settings
- » Monitor the status of the filters
- » Check your room's air quality

Amway Healthy Home is available through the App Store® or Google Play™ store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Access Business Group International LLC is under license. Other trademarks and trade names are those of their respective owners.

DISPLAY PANEL



- 1. Filter Replacement Indicator
- 2. Wi-Fi® / Bluetooth® Indicator
- 3. Fan Speed
- 4. Particle Sensor Reading

- 5. Settings (top to bottom):
 - » Night Fan speed less than 3; display dimmed
 - » Turbo Maximum speed for 30 minutes
 - » Auto Fan speed varies, based on air quality
 - » Power On/Off Indicator


Maintenance

Your Atmosphere Sky[™] Air Treatment System should be cleaned and maintained regularly for optimum performance.

As Needed


Wipe the housing exterior with a damp cloth and dry. If very dirty, use a mild detergent, such as L.O.C.™ Multi-Purpose Cleaner. Do not use cleaners containing ammonia, alcohol, or paint thinner.

These cleaners will damage the surface.




Cleaning the Pre-Filter

- 1. Power off and unplug the unit.
- Remove the front cover of the unit by placing your fingertips under the upper most edge of the front shield, gently pull up on the shield to disengage (should hear snap) then lift the shield off the unit. Magnets at the bottom of the shield will release on their own.
- Remove the Pre-Filter by lifting from the tabs located at the top of the filter screen
- 4. Remove accumulated dust from the Pre-Filter with a vacuum cleaner. If the filter is very dirty rinse with warm tap water. Dry thoroughly before replacing in the unit.
- 5. Reattach the Pre-Filter by placing the slots at the top of the filter to the tabs on the top of the HEPA filter.
- 6. Replace the front shield by positioning the shield over the display and let it gently fall into place engaging the magnets on the bottom of the shield. Then gently push until you hear a soft snap at the middle of the shield at the upper most edge of the display.
- 7. Plug in your unit.
- Reset the Pre-Filter by pushing the Pre-Filter light on the display.
 The Pre-Filter monitor light will change from red to green. Or within the Amway™ Healthy Home app, within the Units Filter page, click on the Clean Pre-Filter button, and then click on the Pre-Filter Is Now Cleaned button to reset the Pre-Filter.



Replacing the HEPA Filter

- 1. Power off and unplug the unit.
- 2. Remove the front cover of the unit by placing your fingertips under the upper most edge of the front shield, gently pull up on the shield to disengage (should hear snap) then lift the shield off the unit.
- 3. Remove the Pre-Filter/HEPA by disengaging the lock at the top of the HEPA Filter.
- 4. Gently lift the Pre-Filter from the HEPA Filter by lifting from the tabs located at the top of the filter screen. Set the Pre-Filter aside; you may want to clean your Pre-Filter at this time even if the light is green.
- 5. Remove your new HEPA Filter from the packaging.
- Register the filter with the respective serial number on https:// myproducts.amwayglobal.com to ensure continued warranty coverage, when applicable. For more details refer to the Warranty terms and conditions.
- 7. Install your new HEPA filter into your unit, reengage the lock at the top of the filter.
- 8. Reattach the Pre-Filter by placing the slots at the top of the filter to the tabs on the top of the HEPA filter.
- Replace the front shield by positioning the shield over the display and let it gently fall into place engaging the magnets on the bottom of the shield. Then gently push until you hear a soft snap at the middle of the shield at the upper most edge of the display
- 10. Plug in your unit.
- 11. The HEPA Filter monitor light will automatically change from red to green.



Replacing the Carbon Filter

- 1. Power off and unplug the unit.
- 2. Remove the front cover of the unit by placing your fingertips under the upper most edge of the front shield, gently pull up on the shield to disengage (should hear snap) then lift the shield off the unit.
- 3. Remove the Pre-Filter/HEPA by disengaging the lock at the top of the HEPA Filter. Set these filters off to the side.
- Remove the Carbon Filter set off to the side.
 Note: Make sure you do not let any carbon particles stain your clothing, furniture or carpeting.
- 5. Remove your new Carbon Filter from the packaging.
- Register the filter with the respective serial number on https:// myproducts.amwayglobal.com to ensure continued warranty coverage, when applicable. For more details refer to the Warranty terms and conditions.
- 7. Reinstall your new Carbon filter into your unit.

 Note: there is an angled edge on the carbon filter. This edge will fit inside your unit on the lower left.
- 8. Install the Pre-Filter/HEPA filter combination and lock into place.
- Replace the front shield by positioning the shield over the display and let it gently fall into place engaging the magnets on the bottom of the shield. Then gently push until you hear a soft snap at the middle of the shield at the upper most edge of the display.
- 10. Plug in your unit.
- 11. The Carbon Filter monitor light will automatically change from red to green.

Customer Service

Please read this manual carefully. If you have questions concerning the installation or operation of your Atmosphere Sky™ Air Treatment System or to order replacement parts, please contact Customer Service at:

Amway (Hong Kong) 852 - 2969 6300

Limited Warranty

Register:

Let's get your product registered. Three simple steps is all it takes:

1. OPEN



2. SNAP



3. SEND



upload the image to the website: https:// myproducts.amwayglobal.com OR download Amway Healthy Home app from Google Play Store or App Store.

WHAT DOES THIS WARRANTY COVER?

Amway Hong Kong Limited ("Amway HK") warrants that the Atmosphere Sky™ Air Treatment System (except for the filters) will not prove defective (as defined below) under normal and proper use for two years from the date of purchase from Amway HK as indicated on the original sales receipt issued by Amway HK ("Warranty Period"). An item will be considered "defective" if it is defective in materials or workmanship to such extent that the defect materially impairs the performance or value of the Atmosphere Sky™ Air Treatment System to the purchaser.

WHAT DOES THIS LIMITED WARRANTY NOT COVER?

This Limited Warranty does not cover:

(a) Any use of the Atmosphere Sky™ Air Treatment System outside the Hong Kong Special Administrative Region ("Hong Kong") and the

- Macau Special Administrative Region ("Macau");
- (b) Any Atmosphere SkyTM Air Treatment System that has been subjected to any use that is different than or inconsistent with the use instructions in the Atmosphere Sky Air Treatment System Use Instructions;
- (c) Any Atmosphere Sky™ Air Treatment System that has been subjected to any abuse, accident, physical damage, improper installation or application, alteration, neglect, improper temperature, humidity or other environmental conditions (including, but not limited to, lightning, flood or fire);
- (d) Any Atmosphere SkyTM Air Treatment System that has been damaged due to improper repair, modification, alteration or maintenance by anyone other than an authorized service warranty representative of Amway HK; or (e) The use of any part or accessory that is not recommended or supplied by Amway HK.

HOW WILL THE USE OF NON-AUTHORIZED PARTS OR ACCESSORIES AFFECT THE PERFORMANCE OF YOUR ATMOSPHERE SKYTM AIR TREATMENT SYSTEM?

Performance claims relating to the Atmosphere SkyTM Air Treatment System were developed through testing of the complete unit as designed by the manufacturer, and as installed and operated as recommended by the manufacturer. The use of replacement parts not recommended by the manufacturer may result in diminished unit performance. Amway HK does not warrant the performance of any non- Atmosphere SkyTM Air Treatment System parts and is not responsible for any damage to the Atmosphere SkyTM Air Treatment System caused by any non-Atmosphere SkyTM Air Treatment System parts.

WHAT WILL AMWAY HK DO IF YOUR ATMOSPHERE SKY™ AIR TREATMENT SYSTEM IS DEFECTIVE?

If any Atmosphere Sky™ Air Treatment System, subject to the above mentioned exclusion of coverage by this Limited Warranty, proves to be defective during the Warranty Period, Amway HK will, at its option, either repair or replace the defective item at its expense.

HOW AND WHEN MUST YOU MAKE A CLAIM UNDER THIS LIMITED WARRANTY?

For service under this Limited Warranty in Hong Kong and Macau, you should, during office hours:

- (i) return at your own cost the claimed defective product to any of the Amway Merchandising Centers located at the following addresses
- (a) Amway Experience Centre Kowloon Merchandising Centre Address: 15/F, Gala Place, 56 Dundas Street, Mongkok, Kowloon

- (b) Tuen Mun Merchandising Centre Address: Shop Nos. 3 & 4, G/F, Sun Court, Yan Oi Tong Circuit, Tuen Mun
- (c) Macau Merchandising Centre (Drogaria AM) Address: Rua de Pedro Coutinbo, No. 52 Edificio Hio Fai, R/C; or
- (ii) call Amway Service Hotline at (852) 2969 6300 to arrange an on-site repair service, and in either case, please present the original sales receipt issued by Amway HK or other proof of purchase satisfactory to Amway HK and a brief description of the product defect. Warranty claim must be made within 30 days of its discovery.

Upon receipt of an Atmosphere SkyTM Air Treatment System that is claimed to be defective, Amway HK will determine, in its reasonable discretion, whether the Atmosphere SkyTM Air Treatment System is defective. Amway HK's acceptance of a returned Atmosphere SkyTM Air Treatment System for inspection or repair shall not be construed as its concession that the returned Purifier is defective. Amway HK shall not be responsible for transportation or delivery of any defective Atmosphere SkyTM Air Treatment System. If (in Amway HK's opinion) the Atmosphere SkyTM Air Treatment System is not defective, or after the Purifier is repaired or replaced, Amway HK will notify you for collection thereof.

OTHER IMPORTANT LIMITATIONS

If Amway HK fails to repair or replace any defective item within a reasonable time, its liability under this Limited Warranty will in all events be limited to the purchase price of the defective Atmosphere SkyTM Air Treatment System. Except as provided under Hong Kong law, no person is authorized to or may modify or expand the warranty provided herein, waive any of the conditions and limitations of this Limited Warranty, or make any different or additional warranties with respect to the Atmosphere SkyTM Air Treatment System. Any statements to the contrary shall be of no effect unless made in writing and signed by an authorized officer of Amway HK.

Except as provided under Hong Kong law, this Limited Warranty sets forth the purchaser's sole and exclusive remedies for any defect in the Atmosphere Sky™ Air Treatment System, and THE WARRANTIES STATED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, **EXCEPT FOR THE IMPLIED WARRANTY OR** CONDITION OF MERCHANTABILITY, THE **IMPLIED WARRANTY OR CONDITION OF** FITNESS FOR A PARTICULAR PURPOSE, AND **ANY OTHER NON-DISCLAIMABLE WARRANTIES** IMPOSED BY HONG KONG LAW. NO SUCH NON-DISCLAIMABLE WARRANTY, INCLUDING **BUT NOT LIMITED TO THE WARRANTY OR CONDITION OF MERCHANTABILITY AND THE** WARRANTY OR CONDITION OF FITNESS FOR A PARTICULAR PURPOSE, SHALL BE FOR TERMS **EXTENDING BEYOND THE DURATION OF THE EXPRESS LIMITED WARRANTY DESCRIBED** ABOVE. Notwithstanding the foregoing, some

jurisdictions do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This Limited Warranty gives you specific legal rights, and you may also have other rights. The laws of some jurisdictions do not permit the exclusion or limitation of certain rights or remedies provided by such laws. As this Limited Warranty is subject to such laws, some of the limitations or restrictions contained in this Limited Warranty may not apply to you. The provisions of this Limited Warranty are in addition to and not a modification of or subtraction from the statutory warranties contained in Hong Kong laws. AMWAY HK SHALL HAVE NO LIABILITY TO THE PURCHASER OR ANY OTHER PERSON FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL, **EXEMPLARY, INDIRECT, OR PUNITIVE DAMAGES** ARISING FROM ANY DEFECT AND BASED UPON BREACH OF WARRANTY, BREACH OF CONTRACT, NEGLIGENCE, STRICT TORT OR ANY OTHER LEGAL THEORY. IN PARTICULAR, AND WITHOUT LIMITATION, AMWAY HK SHALL NOT BE LIABLE FOR PERSONAL INJURY OR DEATH, PROPERTY DAMAGE, LOST PROFITS, OR OTHER ECONOMIC INJURY, NOR UPON ANY CLAIM BASED ON ALLEGED NEGLIGENT **DESIGN OR MANUFACTURE OF ANY GOODS.** OR THE OMISSION OF ANY WARNING WITH **RESPECT THERETO**. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you.

This Limited Warranty is applicable in Hong Kong and Macau.

SATISFACTION GUARANTEE

In addition to the Warranty, Amway HK offers its Privileged Customers and Distributors Satisfaction Guarantee for specified periods. From the date of purchase of the Atmosphere Sky™ Air Treatment System (as indicated on the original sales receipt issued by Amway HK), Distributors and Privileged Customers have respectively 90 and 30 days to determine if the Air Treatment System is satisfactory and if you want to keep it. If within such applicable period you decide that the Air Treatment System is not satisfactory, you may return it upon presentation of the original sales receipt issued by Amway HK to any of the Amway Merchandising Centers, who will offer you the choice of replacement or exchange without charge or a refund for the full purchase price (delivery charges excluded). Except as otherwise provided by Hong Kong laws, Amway HK shall not be liable for any loss or personal injuries arising from accidents outside the control of Amway HK, or caused by the improper and abusive use or alteration of the Atmosphere Sky™ Air Treatment System by the purchaser or any other parties. Kindly refer to the Limited Warranty for applicable warranties and limitations.

恭喜閣下購買了Atmosphere Sky™空氣清新機,並為家人作出一項重要投資:改善家中的空氣質素。

Atmosphere Sky™空氣清新機已預先安裝了三層濾網:前置濾網、高效能微粒濾網及活性碳濾網。包裝箱內亦有本機的電源線。

目錄

01 02 02 03 重要安全指引 產品圖解 啟用產品 第三方認證 04 04 06 03 常見問題 維修服務及配件 產品特點 保養

07 08

 客戶服務
 保養服務

重要安全指引:

在使用Atmosphere Sky™空氣清新機之前,請細閱所有指引。

▲ 警告: 在使用電器時,務必遵守基本的安全措施,以降低火災、觸電及/或受傷的風險:

- 1. 在清潔產品或進行保養(包括更換濾網)前,謹記先拔除電源。
- 2. 在啟用前,請先拆下產品的前蓋,取出濾網,移 除保護袋,再將濾網重新裝好。
- 3. 請勿拆解機身內部組件。用戶不可自行維修機內 組件。維修工作只可由經授權的維修人員進行。
- 請勿讓液體或任何物件進入送風口內。保持送風口清潔,避免沾上過多灰塵、棉絮、毛髮或碎屑等可能影響空氣流通的物體。
- 5. 請勿將本機暴露於雨中,或於潮濕區域使用。請 勿將本機放置於浴缸或廚房水槽附近。
- 6. 在拔除電源時,請勿拉扯電源線。應手握插頭, 輕輕從插座拔除。
- 7. 請勿在電源線或插頭已損壞的情況下使用本機。 電源線或插頭若有損壞,必須交由生產商或維修 代理人員替換新的電源線及插頭。請交回授權維 修機構進行檢查及/或維修。

- 8. 請勿將電源線放置於地氈下。請勿用毛氈、墊子 或類似的覆蓋物遮蓋電源線。請勿將電源線纏繞 在傢具或電器下。電源線應放置於不會絆倒人的 地方,避開經常走動的區域。
- 9. 請勿切割、破壞或改裝電源線。請勿將電源線放在 重物底下或中間,並確保遠離發熱表面。
- 10. 空氣清新機若無法正常運作、曾跌落地面或遭到損壞,請聯絡安利諮詢熱線。
- 11. 請勿使用溶劑或化學物品清潔本機。請勿對著本機噴灑噴霧劑。
- 12. 請勿讓任何有身體障礙、感官障礙或智力障礙,或 缺乏經驗及知識的人士(包括兒童)在沒有監督或 指引的情況下使用本機。請對兒童加以監督,確保 他們不會將本機當作玩具。


請詳細閱讀並妥善保管以下安全指引

備註

- Atmosphere Sky™空氣清新機並不適合於空 氣中存在油性微粒的場所如工廠,或長時間充 斥二手煙的場所如酒吧及餐廳等地方使用。在 此類場所使用本機會導致濾淨效能下降,並縮 短濾網壽命。
- 2. 為延長濾網效能,空氣清新機的前置濾網、高效能微粒濾網及活性碳濾網均以帶保護功能的包裝袋包裝。在使用本機前,請先拆下前蓋,將濾網從包裝袋內取出,再重新裝好。
- 3. 運輸及搬運途中或會產生碳粉。在棄置濾網包裝袋時,請避免讓衣物、傢具或地氈沾上包裝袋上的碳粉。

- 4. 請勿於空氣清新機的上面或前蓋附近放置物件, 以免妨礙空氣流通。
- 5. 請勿將空氣清新機放置於熱源的送風口前。

潔淨空氣,由此開始



啟用產品

- 1. 從包裝箱中取出空氣清新機,並拆下前蓋。
- 2. 將前置濾網、高效能微粒濾 網及活性碳濾網從機身內 取出。
- 3. 移除濾網的保護袋。由於碳 粉或會從濾網上跌落,請避 免在地氈或淺色表面上進 行這步驟。
- 4. 請透過"Google Play Store"或"App Store" 下載「Amway™ Healthy Home」應用程式, 註冊您的空氣清新機。您亦可按照機身內部註冊標籤上的指引, 進行註冊。

- 5. 將濾網重新裝好,確保高效 能微粒濾網已妥善鎖緊,並 將前蓋重新裝好。
- 6. 將空氣清新機放置於需要使用的房間內,其位置應靠近電源插座,並遠離熱源的送風口及人流較多的地方。請確保機體上方的空間並無阻礙物,讓空氣能夠順暢流通。
- 将電源線插入機身後方,然 後將插頭插入附近的電源 插座。
- 8. 啟動電源。

您的ATMOSPHERE SKY™空氣清新機

- A. 前蓋
- B. 前置濾網及高效能微粒濾網
- C. 活性碳濾網
- D. 註冊標籤/序列號
- E. 顯示屏
- F. 電源線
- G. 機身後殼
- H 摩打/風扇組件









第三方認證:



英國過敏協會認證

代表Atmosphere Sky™空氣清新機已經通過第三方實驗室的科學測試,證實能夠降低或濾除過敏原,因此適合患有過敏症的人士使用。



ECARF

代表Atmosphere Sky™空氣清新機已經通過第三方實驗室的科學測試,證實能夠降低或濾除過敏原,因此適合患有過敏症的人士使用。



AHAM

Atmosphere Sky™空氣清新機已 經通過根據美國家電製造商協會 (AHAM) 認證項目(ANSI/AHAM AC-1)進行的測試。

CADR

其潔淨空氣濾淨量 (CADR) 已獲得 美國家電製造商協會的認證, 證實能 夠每分鐘輸出300立方英呎的清新空 氣, 過濾空氣中的香煙煙霧、塵埃及 花粉。CADR是用於評估空氣清新機 效能的主要指標。




ENERGY STAR®

ENERGY STAR®是美國環保署的一項註冊商標,是高能源效率的信心保證。逾廿年以來,美國各地的居民均以美國環保署的ENERGY STAR®計劃為指引,達至節省能源、金錢並保護環境。獲得這項藍色標籤的每一款產品、每一棟建築或每一個家居場所均已獲得獨立認證,證實能夠節省能源,並可減少導致氣候變化的排放。目前已有數百萬人透過網址energystar.gov參與計劃,讓世界變得更加美好。您也立即加入吧。


常見問題


問題	解決方法
運作顯示燈亮著,但送風口並沒有出風。	檢查空氣清新機內各層濾網的保護袋是否均已移除。前置濾網上可能積聚了塵埃及/或寵物毛髮。 如需清潔及重新安裝前置濾網: » 關閉電源,拔除空氣清新機的插頭。 » 拆下空氣清新機的前蓋。 » 移除空氣清新機內的前置濾網。 » 使用吸塵機徹底清潔整塊濾網,移除濾網表面及內部的碎屑。 » 將前置濾網重新裝回空氣清新機內。 » 將前置濾網重新裝好。
空氣清新機的出風量很大, 但未能濾除房 間內的塵埃或氣味。	確保活性碳濾網及高效能微粒濾網均已妥善安裝於空氣清新機內。如果空氣質素因烹飪或寵物異味而變得極差,將系統設定為「超高速」,以便獲得最佳效果。
空氣清新機無法連接至無線網絡。	請參閱安利健康家居應用程式中的常見問題部分或聯絡客戶服務人員。
空氣清新機無法與藍牙無線科技配對。	請參閱安利健康家居應用程式中的常見問題部分或聯絡客戶服務人員。

更換濾網/組件









前蓋

高效能微粒濾網

活性碳濾網



電子模組



可拆卸電源線 - 若閣下所處的市場有售



移動滑輪



橡膠腳墊

ATMOSPHERE SKY™空氣清新機的特點:

空氣濾淨過程:

空氣由空氣清新機的前蓋進入。前置濾網可濾除體積較大的微粒,例如棉絮;高效能微粒濾網能有效過濾小至0.0024微米的污染物,濾淨效能高達99.99%;而活性碳濾網則能濾除異味。濾淨後的空氣經由機身後方的送風口向上輸出。

本機採用獨特的內部空氣循環系統。雙重智能流通組件會引導機身內的氣流,讓空氣以最小阻力、最低噪音、最高空氣流量的方式流動。

效能特點:

- » 有效濾除進入機身的空氣中小至0.0024微米的微 粒,濾淨率高達99.99%。
- » 有效濾除難聞異味,包括香煙煙味、烹調氣味及寵物異味。
- » 以風速5運作時,潔淨空氣濾淨量(CADR)不低 於300,可濾淨面積為465平方呎(43平方米)的房 間。CADR是用於評估空氣清新機效能的主要指 標。
- » 有效濾除進入機身的空氣中細菌、黴菌、病毒、霉菌、石棉、塵蟎及其副產品,以及氡氣衰變產物。
- » 濾除過敏原的效能已獲得第三方認證。
- » 高效能、低耗電,其能源效率已獲得美國環保署的 ENERGY STAR®節能認證。

連接至無線網絡及藍牙無線科技



安利健康家居應用程式角色正如空氣清新機的遙控器。利用智能手機或流動設備下載免費應用程式,在家中或外出時使用:

- » 更改設定
- » 監測濾網的狀態
- » 監測房間的空氣質素

安利健康家居應用程式可於App Store®及Google Play®下載。

Bluetooth®的文字商標及標誌均為Bluetooth SIG, Inc.所有的註冊商標, Access Business Group International LLC已經獲得使用這些標誌的許可權。其他註冊商標及商標名稱的擁有權則屬於各所有者。










顯示屏



- 1. 濾網更換提示燈
- 2. 無線網絡/藍牙顯示燈
- 3. 風速
- 4. 微粒感應器讀數


- 5. 設定(由上至下)
 - » Night (夜間) 風速低於3;顯示屏轉暗
 - » Turbo (超高速) 以最高速運轉30分鐘
 - » Auto (自動) 根據空氣質素自動調節風速
 - » 電源開/關顯示燈

保養

您應定期清潔及保養您的Atmosphere SkyTM空氣清新機,以維持最佳效能。


根據需要

以沾濕的布擦拭機身外部,然後待乾。當機身極髒時,可使用溫和的清潔劑,例如L.O.C.™多用途濃縮清潔劑。請勿使用含氨、酒精或油漆稀釋劑的清潔劑,因會損壞表面。




清潔前置濾網

- 1. 關閉電源,拔除空氣清新機的插頭。
- 將指尖放入前蓋最上方的下端,輕輕將前蓋向上拉,令它脫離機身(會聽到「咔」一聲),然後拉起前蓋將它拆下。前蓋底部的磁鐵會自動鬆開。
- 3. 從位於前置瀘網框架頂端的釦環位置向上拉,將前置瀘網取出。
- 4. 用吸塵機清除前置濾網上積聚的塵埃。若濾網太髒,可使用溫熱的自來 水沖洗。徹底乾透後,方可將前置濾網重新裝回空氣清新機內。
- 將前置瀘網頂端的凹槽位置塞入高效能微粒濾網頂端的釦環處,即可重新裝好前置濾網。
- 6. 將前蓋置於貼近顯示屏的上方處,將它輕輕向下放,直至前蓋底端的磁 鐵被吸住,即可重新裝好前蓋。然後再輕推一下,直至聽到顯示屏最上 方的前蓋中間發出輕微的「咔」聲。
- 7. 為空氣清新機連接電源。
- 8. 按住顯示屏上的前置濾網燈,重新設定前置濾網。前置濾網的監測燈將由紅色轉為綠色。亦可在「Amway™ Healthy Home」應用程式的"Units Filter" (清新機濾網) 頁面,點選"Clean Pre-Filter" (清潔前置濾網) 按鍵,然後點選"Pre-Filter Is Now Cleaned" (前置濾網已完成清潔) 按鍵,重新設定前置濾網。



更換高效能微粒濾網

- 1. 關閉電源,拔除空氣清新機的插頭。
- 將指尖放入前蓋最上方的下端,輕輕將前蓋向上拉,令它脫離機身(會聽到「咔」一聲),然後舉起前蓋將它拆下。前蓋底部的磁鐵會自動鬆關。
- 3. 鬆開高效能微粒濾網頂端的鎖釦,將前置濾網/高效能微粒濾網拆下。
- 從位於前置瀘網框架頂端的釦環位置向上拉,輕輕將前置濾網從高效能 微粒濾網中取出。將前置濾網暫時放在一旁;即使此時的監測燈為綠 色,您亦可以藉此機會清潔前置濾網。
- 5. 從包裝袋中取出新的高效能微粒濾網。
- 6. 在https://myproducts.amwayglobal.com網站,以相應的序列號註冊濾網,確保繼續獲得保養服務(如適用)。請參閱有關保養的條款及細則,了解詳情。
- 將新的高效能微粒濾網安裝至空氣清新機內,重新扣緊濾網頂端的鎖 釦。
- 將前置濾網頂端的凹槽位置塞入高效能微粒濾網頂端的釦環處,即可重新裝好前置濾網。
- 9. 將前蓋置於貼近顯示屏的上方處,將它輕輕向下放,直至前蓋底端的磁 鐵被吸住,即可重新裝好前蓋。然後再輕推一下,直至聽到顯示屏最上 方的前蓋中間發出輕微的「咔」聲。
- 10. 為空氣清新機連接電源。
- 11. 高效能微粒濾網的監測燈會自動由紅色轉為綠色



更換活性碳濾網

- 1. 關閉電源, 拔除空氣清新機的插頭。
- 將指尖放入前蓋最上方的下端,輕輕將前蓋向上拉,令它脫離機身 (會聽到「咔」一聲),然後拉起前蓋將它拆下。前蓋底部的磁鐵會自動 鬆開。
- 3. 鬆開高效能微粒濾網頂端的鎖釦,將前置濾網/高效能微粒濾網拆下。將 這些濾網暫時放在一旁。
- 4. 取出活性碳濾網,暫時放在一旁。**注意:請勿讓衣物、傢具或地氈沾上** 任何碳粉。
- 5. 從包裝袋中取出新的活性碳濾網。
- 6. 在https://myproducts.amwayglobal.com網站上或「Amway™ Healthy Home」應用程式內,以相應的序列號註冊濾網,確保繼續獲得保養服務(如適用)。請參閱有關保養的條款及細則,了解詳情。
- 將新的活性碳濾網安裝至空氣清新機內。注意:活性碳濾網的其中一邊 有斜角,可以對準空氣清新機的左下角進行安裝。
- 8. 將前置瀘網/高效能微粒濾網一同裝回空氣清新機內,並鎖緊。
- 9. 將前蓋置於貼近顯示屏的上方處,將它輕輕向下放,直至前蓋底端的磁 鐵被吸住,即可重新裝好前蓋。然後再輕推一下,直至聽到顯示屏最上 方的前蓋中間發出輕微的「咔」聲。
- 10. 為空氣清新機連接電源。
- 11. 活性碳濾網的監測燈會自動由紅色轉為綠色。

客戶服務:

請詳細閱讀本說明書。如果您對Atmosphere Sky™空氣清新機的安裝或運作有任何疑問,請致電安利諮詢熱線:

安利(香港) 852 - 2969 6300

保養服務

計冊

請進行產品註冊。只需以下三個簡單步驟,即可 完成:

1. 啟動



您的空氣清新機。

2. 拍攝



機身內QR碼的圖片。

3. 發送



將圖片上載至網站: https:// myproducts.amwayglobal. com 或透過"Google Play Store"或"App Store", 下載 「Amway™ Healthy Home」 應用程式。

香港

保養服務

此保養涵蓋哪些範圍?

安利(香港)日用品有限公司(以下簡稱「安利香港」)保證 Atmosphere Sky™空氣清新機(不包括濾網)在正常使用 的情況下,由購買日期起計兩年內不會出現瑕疵(定義如 下)。產品出現「瑕疵」,乃指其材料或工藝存在瑕疵,且 該瑕疵對購買者而言,造成了Atmosphere Sky™空氣清 新機在性能或價值上的實質性損壞。

此保養不涵蓋哪些範圍?

此保養服務不涵蓋:

(a) 任何於香港特別行政區(以下簡稱「香港」)及澳門特別行政區(以下簡稱「澳門」)以外地區使用的Atmosphere Sky™空氣清新機。

- (b) 任何沒有依照Atmosphere Sky™空氣清新機使用指南內的指引而使用的Atmosphere Sky™空氣清新機。
- (c) 任何曾被濫用、遭受意外、實質損壞、安裝或使用不當、經過改裝、受疏忽、溫度不當、潮濕或其他環境因素 (包括但不限於雷電、水災或火災)影響的Atmosphere Sky™空氣清新機。
- (d) 任何曾因由非安利香港授權的保養服務提供者進行的不當維修、修改、改裝或保養而導致損壞的Atmosphere Sky™空氣清新機;或(e) 任何因使用非安利香港推薦或供應的組件或配件而導致損壞的Atmosphere Sky™空氣清新機。

使用未經授權的組件或配件,會對您的ATMOSPHERE SKY™空氣清新機的效能造成什麼影響?

Atmosphere Sky™空氣清新機的相關效能宣稱,乃是根據對製造商所設計的完整機件,以及按照製造商所建議進行的安裝及運作之測試而作出的。使用非製造商所建議的配件,或會導致產品的效能下降。安利不會保證任何非Atmosphere Sky™空氣清新機組件的效能,並不會為非Atmosphere Sky™空氣清新機組件對Atmosphere Sky™空氣清新機進作對

如果您的ATMOSPHERE SKY™空氣清新機存在瑕疵, 安利香港會如何處理?

若Atmosphere Sky™空氣清新機在保養服務期間出現瑕疵,上述此保養服務不涵蓋的範圍除外,安利香港將會自行選擇維修或對瑕疵物件或配件進行更換,並承擔相關費用。

在此保養服務下, 您應如何及於何時作出保養申請?

如欲於香港及澳門使用此保養服務, 請於辦公時間內:

- (i) 自費將聲稱有瑕疵的產品退還至以下任何一間安利購 貨中心, 地址如下
 - (a) Amway體驗館 九龍購貨中心 地址: 九龍旺角登 打士街56號家樂坊15樓
 - (b) 屯門購貨中心 地址:新界屯門仁愛堂麗日閣地下 三及四號
 - (c) 澳門購貨中心 (安澳藥行) 地址: 澳門高地烏街52 號地下
- (ii) 致電安利諮詢熱線(852) 2969 6300安排上門維修服務,或將安利香港的收據正本或其他符合要求的購買證明,連同一份關於產品瑕疵的簡略說明提交至安利香港。保養申請必須於自發現瑕疵起計的30天內提交。

安利香港在收到聲稱存在瑕疵的Atmosphere Sky™空氣清新機後,會酌情合理地決定該Atmosphere Sky™空氣清新機是否存在瑕疵。安利香港接收退回之Atmosphere Sky™空氣清新機以進行檢查,並不代表安利香港承認該退回的產品存在瑕疵。安利香港恕不對任何存在瑕疵的Atmosphere Sky™空氣清新機的運輸或運送負責。若

安利香港認為該Atmosphere Sky™空氣清新機並不存在 瑕疵, 或該空氣清新機已完成維修或更換, 安利香港會通 知閣下進行領取。

其他重要限制

如果安利香港未能對有瑕疵的物件進行維修或更換,則於所有情況下,此保養服務的責任均將局限於有瑕疵的Atmosphere Sky™空氣清新機的購買價格內。除非根據香港法律規定,否則任何人不得獲授權或對此保養服務進行修改或擴充,或放棄此保養服務的任何條件及限制,或對Atmosphere Sky™空氣清新機作出任何不同或額外的保養。除非獲得安利香港授權人員簽署作實,否則任何與此相反的陳述將一律無效。

除非根據香港法律規定,否則此保養服務列明了購買者對存在瑕疵的Atmosphere Sky™空氣清新機的唯一及專屬的解決方法。本文陳述的保養將取代所有其他明示、暗示、法定或以其他方式表明的保養,除非是有關適銷性的默示保養或條件、適用於某特定用途的默示保養或條件,以及香港法律規定的任何其他不可免責的保養。此類不可免責的保養包括但不限於適銷性的保養或條件、適用於某特定用途的保養或條件,均不可延長至超出上述明確保養服務的期限。儘管有上述規定,但部分司法管轄區並不允許對默示保養的期限加以限制,因此上述限制可能未必適用於您。

此保養服務賦予您特定的法律權利,您可能亦享有其他權利,視乎不同的司法管轄區而定。部分司法管轄區的法律不允許排除或限制此類法律所規定的某些特定權利或解決方法。由於此保養服務受此類法律所約束,此保養服務內的部分限制或制約可能未必適用於您。此保養服務的條款為香港法律所包含的法定保養的額外條款,而非對其

進行修改或刪減。

針對任何瑕疵所導致的及因違反保養、違約、疏忽、嚴格侵權行為或根據任何其他法律理論而產生從屬性的、附帶性的、特殊性的、懲戒性的、間接性的或懲罰性的損失,安利香港恕不對購買者或其他人承擔責任,具體包括但不限於以下,針對個人傷亡、財產損失、利潤損失或其他經濟損失、或基於任何物品的據稱疏忽設計或製造,或針對有關上述任何事項遺漏警告而作出的任何索償,安利概不負責。某些司法管轄區不允許排除或限制附帶性或從屬性的損失,因此上述限制可能未必適用於您。

此保養服務適用於香港及澳門。

滿意保證

除保養外,安利香港亦會於特定期限內,為其優惠顧客及直銷商提供品質滿意保證。由購買Atmosphere Sky™空氣清新機當日(如安利開具的收據正本所示)起計,直銷商及優惠顧客可分別在90天及30天內決定是否滿意該空氣清新機,並繼續保留使用。如在此期間閣下決定該空氣清新機未能讓您滿意,您可將產品連同安利香港開具的收據正本退還至任何一間安利購貨中心,並可選擇免費更換同類產品或轉換其他安利產品,或將貨款原銀退還(不包括運費)。除非香港法律另有規定,否則安利香港恕不對因任何安利香港不可控制的意外或因購買者或任何其他人的不當使用、濫用或改裝而導致的任何損失或人身傷害而負責。請參閱保養服務,了解適用的保養及限制。

